

CRANE PLUS Camera Compatibility List

Updated on February 25th, 2019 (for stabilizer firmware V1.71);
 Camera models and lenses listed in the table below can be balanced and achieve stabilization effect on CRANE PLUS;
 Camera models that can be controlled by CRANE PLUS are listed in the table below and this table will grow as tests continue.

Camera Brand	Model	Compatible Cables	Grip Control	APP Control	Camera Firmware Version	Compatible Lenses
Panasonic	DC-GH5	ZW-CTIA-002	1. Take photos 2. Start/stop recording video.	1. Take photos; 2. Start/stop recording video.	v2.4	LEICA DG VARIO-ELMARIT 8-18mm/F2.8-4.0 ASPH
	DC-GH5S				v1.2	LUMIX G X VARIO 12-35mm/F2.8 II ASPH POWER O.I.S.
	DMC-GH4				v2.7	LUMIX G VARIO 12-60mm/F3.5-5.6 ASPH./POWER O.I.S.
Sony	A9	ZW-MULTI-003	1. Take photos 2. Start/stop recording video 3. Digital zoom.	1. Take photos; 2. Start/stop recording video.	v4.10	FE 12-24mm F4 G
	A7R3				v2.10	Vario-Tessar T* FE 16-35mm F4 ZA OSS
	A7M3				v2.10	Vario-Tessar T* FE 24-70mm F4 ZA OSS
	A7R2				v4.00	FE 28-70mm F3.5-5.6 OSS
	A7S2				v3.00	FE 24mm F1.4 GM
	A7M2				v4.00	Distagon T* FE 35mm F1.4 ZA Planar T* FE 50mm F1.4 ZA FE 50mm F1.8 Sonnar T* FE 55mm F1.8 ZA
	A6500				v1.05	
	A6300				v2.01	E PZ 18-105mm F4 G OSS

Note:

1. This table will be updated in line with firmware update and is subject to change without prior notice;
2. Balance adjustment of specific cameras and lenses is shown in the attached table;
3. Camera models that are not listed in the table will be tested in the future according to market feedback.

Attached Table :

1. "Can be balanced at any focal length" means stabilizer balance can be achieved at both ends of the zoom lens.
2. For compatibility with camera models and lenses that are not listed in the table, users are free to carry out tests by themselves. Cameras whose weights are within the bearing range of CRANE PLUS and can be balanced on it are workable with CRANE PLUS;

Camera Brand	Model	Lens Type	Lens Support	Balance Adjustment with Camera and Lens Only	Remark
Canon	5DS	EF 16-35mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 17-40mm f/4L USM	√	√Can be balanced at any focal length	
		EF 24-70mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 24mm f/1.4L II USM	√	√	
		EF 35mm f/1.4L II USM	√	√	
		EF 50mm f/1.2L USM	√	√	
		EF 50mm f/1.4 USM	√	√	
	5DS R	EF 16-35mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 17-40mm f/4L USM	√	√Can be balanced at any focal length	
		EF 24-70mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 24mm f/1.4L II USM	√	√	
		EF 35mm f/1.4L II USM	√	√	
		EF 50mm f/1.2L USM	√	√	
		EF 50mm f/1.4 USM	√	√	



CRANE PLUS Camera Compatibility List

Camera Brand	Model	Lens Type	Lens Support	Balance Adjustment with Camera and Lens Only	Remark
Canon	5D Mark IV	EF 16-35mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 17-40mm f/4L USM	√	√Can be balanced at any focal length	
		EF 24-70mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 24mm f/1.4L II USM	√	√	
		EF 35mm f/1.4L II USM	√	√	
		EF 50mm f/1.2L USM	√	√	
		EF 50mm f/1.4 USM	√	√	
	5D Mark III	EF 16-35mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 17-40mm f/4L USM	√	√Can be balanced at any focal length	
		EF 24-70mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 24mm f/1.4L II USM	√	√	
		EF 35mm f/1.4L II USM	√	√	
		EF 50mm f/1.2L USM	√	√	
		EF 50mm f/1.4 USM	√	√	
	5D Mark II	EF 16-35mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 17-40mm f/4L USM	√	√Can be balanced at any focal length	
		EF 24-70mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 24mm f/1.4L II USM	√	√	
		EF 35mm f/1.4L II USM	√	√	
		EF 50mm f/1.2L USM	√	√	
		EF 50mm f/1.4 USM	√	√	
	6D Mark II	EF 16-35mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 17-40mm f/4L USM	√	√Can be balanced at any focal length	
		EF 24-70mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 24mm f/1.4L II USM	√	√	
		EF 35mm f/1.4L II USM	√	√	
		EF 50mm f/1.2L USM	√	√	
		EF 50mm f/1.4 USM	√	√	
	6D	EF 16-35mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 17-40mm f/4L USM	√	√Can be balanced at any focal length	
EF 24-70mm f/4L IS USM		√	√Can be balanced at any focal length		
EF 24mm f/1.4L II USM		√	√		
EF 35mm f/1.4L II USM		√	√		
EF 50mm f/1.2L USM		√	√		
EF 50mm f/1.4 USM		√	√		
7D Mark II	EF 16-35mm f/4L IS USM	√	√Can be balanced at any focal length		
	EF 17-40mm f/4L USM	√	√Can be balanced at any focal length		
	EF 24-70mm f/4L IS USM	√	√Can be balanced at any focal length		
	EF 24mm f/1.4L II USM	√	√		
	EF 35mm f/1.4L II USM	√	√		
	EF 50mm f/1.2L USM	√	√		
	EF 50mm f/1.4 USM	√	√		



CRANE PLUS Camera Compatibility List

Camera Brand	Model	Lens Type	Lens Support	Balance Adjustment with Camera and Lens Only	Remark
Canon	80D	EF 16-35mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 17-40mm f/4L USM	√	√Can be balanced at any focal length	
		EF 24-70mm f/4L IS USM	√	√Can be balanced at any focal length	
		EF 24mm f/1.4L II USM	√	√	
		EF 35mm f/1.4L II USM	√	√	
		EF 50mm f/1.2L USM	√	√	
		EF 50mm f/1.4 USM	√	√	
	EOS R	RF35mm F1.8 MACRO IS STM	√	√	
		RF50mm F1.2 L USM	×	√	

Camera Brand	Model	Lens Type	Lens Support	Balance Adjustment with Camera and Lens Only	Remark
Panasonic	DC-GH5	LEICA DG VARIO-ELMARIT 8-18mm/F2.8-4.0 ASPH	√	√Can be balanced at any focal length	
		LUMIX G X VARIO 12-35mm/F2.8 II ASPH POWER O.I.S.	√	√Can be balanced at any focal length	
		LUMIX G VARIO 12-60mm/F3.5-5.6 ASPH./POWER O.I.S.	√	√Can be balanced at any focal length	
	DC-GH5S	LEICA DG VARIO-ELMARIT 8-18mm/F2.8-4.0 ASPH	√	√Can be balanced at any focal length	
		LUMIX G X VARIO 12-35mm/F2.8 II ASPH POWER O.I.S.	√	√Can be balanced at any focal length	
		LUMIX G VARIO 12-60mm/F3.5-5.6 ASPH./POWER O.I.S.	√	√Can be balanced at any focal length	
	DMC-GH4	LEICA DG VARIO-ELMARIT 8-18mm/F2.8-4.0 ASPH	√	√Can be balanced at any focal length	
		LUMIX G X VARIO 12-35mm/F2.8 II ASPH POWER O.I.S.	√	√Can be balanced at any focal length	
		LUMIX G VARIO 12-60mm/F3.5-5.6 ASPH./POWER O.I.S.	√	√Can be balanced at any focal length	

Camera Brand	Model	Lens Type	Lens Support	Balance Adjustment with Camera and Lens Only	Remark
Sony	A9	FE 12-24mm F4 G	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 16-35mm F4 ZA OSS	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 24-70mm F4 ZA OSS	√	√Can be balanced at any focal length	
		FE 28-70mm F3.5-5.6 OSS	√	√Can be balanced at any focal length	
		FE 24mm F1.4 GM	√	√	
		Distagon T* FE 35mm F1.4 ZA	√	√	
		Planar T* FE 50mm F1.4 ZA	×	√	
		FE 50mm F1.8	√	√	
		Sonnar T* FE 55mm F1.8 ZA	√	√	
	A7R3	FE 12-24mm F4 G	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 16-35mm F4 ZA OSS	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 24-70mm F4 ZA OSS	√	√Can be balanced at any focal length	
		FE 28-70mm F3.5-5.6 OSS	√	√Can be balanced at any focal length	
		FE 24mm F1.4 GM	√	√	
		Distagon T* FE 35mm F1.4 ZA	√	√	
		Planar T* FE 50mm F1.4 ZA	×	√	
		FE 50mm F1.8	√	√	
		Sonnar T* FE 55mm F1.8 ZA	√	√	



CRANE PLUS Camera Compatibility List

Camera Brand	Model	Lens Type	Lens Support	Balance Adjustment with Camera and Lens Only	Remark
Sony	A7M3	FE 12-24mm F4 G	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 16-35mm F4 ZA OSS	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 24-70mm F4 ZA OSS	√	√Can be balanced at any focal length	
		FE 28-70mm F3.5-5.6 OSS	√	√Can be balanced at any focal length	
		FE 24mm F1.4 GM	√	√	
		Distagon T* FE 35mm F1.4 ZA	√	√	
		Planar T* FE 50mm F1.4 ZA	×	√	
		FE 50mm F1.8	√	√	
		Sonnar T* FE 55mm F1.8 ZA	√	√	
	A7R2	FE 12-24mm F4 G	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 16-35mm F4 ZA OSS	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 24-70mm F4 ZA OSS	√	√Can be balanced at any focal length	
		FE 28-70mm F3.5-5.6 OSS	√	√Can be balanced at any focal length	
		FE 24mm F1.4 GM	√	√	
		Distagon T* FE 35mm F1.4 ZA	√	√	
		Planar T* FE 50mm F1.4 ZA	×	√	
		FE 50mm F1.8	√	√	
		Sonnar T* FE 55mm F1.8 ZA	√	√	
	A7S2	FE 12-24mm F4 G	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 16-35mm F4 ZA OSS	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 24-70mm F4 ZA OSS	√	√Can be balanced at any focal length	
		FE 28-70mm F3.5-5.6 OSS	√	√Can be balanced at any focal length	
		FE 24mm F1.4 GM	√	√	
		Distagon T* FE 35mm F1.4 ZA	√	√	
		Planar T* FE 50mm F1.4 ZA	×	√	
		FE 50mm F1.8	√	√	
		Sonnar T* FE 55mm F1.8 ZA	√	√	
	A7M2	FE 12-24mm F4 G	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 16-35mm F4 ZA OSS	√	√Can be balanced at any focal length	
		Vario-Tessar T* FE 24-70mm F4 ZA OSS	√	√Can be balanced at any focal length	
		FE 28-70mm F3.5-5.6 OSS	√	√Can be balanced at any focal length	
		FE 24mm F1.4 GM	√	√	
		Distagon T* FE 35mm F1.4 ZA	√	√	
		Planar T* FE 50mm F1.4 ZA	×	√	
		FE 50mm F1.8	√	√	
		Sonnar T* FE 55mm F1.8 ZA	√	√	
	A6500	E PZ 18-105mm F4 G OSS	√	√Can be balanced at any focal length	
	A6300	E PZ 18-105mm F4 G OSS	√	√Can be balanced at any focal length	



CRANE PLUS Camera Compatibility List

Camera Brand	Model	Lens Type	Lens Support	Balance Adjustment with Camera and Lens Only	Remark	
Nikon	D850	AF-S NIKKOR 24mm f/1.4G ED	√	√		
		AF-S NIKKOR 35mm f/1.4G	√	√		
		AF-S NIKKOR 50mm f/1.4G	√	√		
		AF-S NIKKOR 85mm f/1.4G	√	√		
	Z6	NIKKOR Z 24-70mm f/4 S	√	√	Can be balanced at any focal length	
		NIKKOR Z 35mm f/1.8 S	√	√		
		NIKKOR Z 50mm f/1.8 S	√	√		
	Z7	NIKKOR Z 24-70mm f/4 S	√	√	Can be balanced at any focal length	
		NIKKOR Z 35mm f/1.8 S	√	√		
		NIKKOR Z 50mm f/1.8 S	√	√		